

WEB pyramexsafety.com
PHONE 800.736.8673
FAX 901.861.4967
FACEBOOK facebook.com/pyramexsafety












SL Series Full Brim 12/case

Exceeds ANSI Z89.1, Type 1, Class C, G, and E for industrial head protection; CSA Z94.1-15

- Shell constructed from High Density Polyethylene materials.
- Ratchet suspension is easy to adjust and allows the wearer to modify the fit while wearing hard hat.
- Replaceable suspensions and headbands available.









4-Point Ratchet

| Part | Color |
|-----------|--|
| HP24110•• |  White |
| HP24111•• |  Black |
| HP24120•• |  Red |
| HP24130•• |  Yellow |
| HP24131•• |  Hi-Vis* Lime |
| HP24135•• |  Green |
| HP24140•• |  Orange |
| HP24141•• |  Hi-Vis* Orange |
| HP24160•• |  Blue |



6-Point Ratchet

| Part | Color |
|----------|--|
| HP26110• |  White |
| HP26120• |  Red |
| HP26130• |  Yellow |
| HP26135• |  Green |
| HP26140• |  Orange |
| HP26160• |  Blue |
| HP261 | Replacement Suspension |

| | |
|-------|------------------------|
| HP241 | Replacement Suspension |
|-------|------------------------|

*Hi-Vis colors have been tested for the "HV" mark.

SL Series Cap Style 16/case














Exceeds ANSI Z89.1, Type 1, Class C, G, and E for industrial head protection; CSA Z94.1-15



- Low profile design.
- Shell constructed from High Density Polyethylene materials.
- Rain trough on sides and back of helmet channel moisture away.
- Universal accessory slots fit cap mounted ear muffs and accessories. Hats also accommodate chin straps.
- Snap Lock suspension features "tuck away" adjustments for all day, hassle free wear.
- Ratchet suspension is easy to adjust and allows the wearer to modify the fit while wearing hard hat.
- Cap style is available with 4- and 6-point nylon suspensions – Snap Lock and Ratchet styles.
- Replaceable suspensions and headbands available.

Standard style hard hats have been tested and pass for **reverse orientation**.



| 4-Point Snap Lock | 4-Point Ratchet | 6-Point Snap Lock | 6-Point Ratchet | Color |
|-------------------|-----------------|-------------------|-----------------|--|
| Part | Part | Part | Part | |
| HP14010• | HP14110•• | HP16010• | HP16110• |  White |
| — | HP14111•• | — | — |  Black |
| — | HP14112•• | — | — |  Gray |
| HP14020• | HP14120•• | HP16020• | HP16120• |  Red |
| HP14030• | HP14130•• | HP16030• | HP16130• |  Yellow |
| HP14031• | HP14131•• | — | — |  Hi-Vis* Lime |
| HP14035• | HP14135•• | HP16035• | HP16135• |  Green |
| HP14040• | HP14140•• | HP16040• | HP16140• |  Orange |
| — | HP14141•• | — | HP16141• |  Hi-Vis* Orange |
| HP14060• | HP14160•• | HP16060• | HP16160• |  Blue |
| HP14062• | HP14162•• | — | — |  Light Blue |
| — | HP14165•• | — | — |  Dark Blue |
| — | HP14170•• | — | — |  Hi-Vis Pink |
| — | HP141 | — | HP161 | Replacement Suspension |

*Hi-Vis colors have been tested for the "HV" mark.



HHBAND
Universal Replacement
Hard Hat Sweat Band



HPTRBAN
Hard Hat Terry Cloth Sweat Band




HPCSTRAP
Chin Strap

SL Series Sleek Shell 12/case

Exceeds ANSI Z89.1, Type 1, Class C, G, and E




- Polyethylene materials.
- Offers impact and penetration resistance.
- Ridgeless low profile design.
- No rain trough- prevents pooling of liquids.
- Ideal for linemen - Exceeds ANSI Type 1, Class E
- Soft brow pad absorbs perspiration.
- Custom imprinting available on hard hats.

Cap Style 4-Point Ratchet

| Part | Color |
|-----------|---|
| HPS14110• |  White |



Full Brim 4-Point Ratchet

| Part | Color |
|-----------|---|
| HPS24110• |  White |
| HPS24112• |  Gray |
| HPS24160• |  Blue |

| | |
|--------|------------------------|
| HPSSUS | Replacement Suspension |
|--------|------------------------|

